


Ornamental Aluminum Fence



Enhance your property with the elegance, beauty and durability of GEMSTONE high strength aluminum fencing.

Residential - Commercial - Industrial www.gemstonealuminum.com





We have one of the best finishes in the industry. Our Super Durable Polyester Finish has been tested and proven to be best in its class by passing over 3500 hours of salt spray test. Check out our exclusive Hammertone finishes!

All of our residential gates come with a brass handle at no additional charge.

...and even though our products outperform most of our competitors we still have a very <u>competitive price</u>.



# **GEMSTONE** Quality


# COMMERCIAL & INDUSTRIAL ALUMINUM

Though we know Aluminum makes a great fence for residential applications, Aluminum is also a great product for your Commercial and Industrial installations as well.



# Strength, beauty and durability

GEMSTONE Ornamental Aluminum fencing provides the elegant look of traditional wrought iron, with the long-lasting durability of aluminum. With the widest selection of styles and colors, there is a GEMSTONE fence to meet every need or preference.



## **Materials**

### **Aluminum Extrusions:**

All rails and posts in the GEMSTONE series shall consist of 6105/T6 with a minimum strength of 35,000 psi.


**Fasteners:** All screws shall be self-drilling stainless steel. Screws will be painted to match the finish of the fence.

**Accessories:** All post caps, wall brackets, decorative scrolls, finials, rings and any other hardware shall be fabricated using aluminum castings.

#### Triple reinforced GEMSTONE rails **SPECIFICATIONS** provide additional lateral Industrial Components Residential Commercial support. 1" sq. x .062 wall 5/8" sq. x .050 wall 3/4" sq. x .050 wall **Pickets** 1" x 1" 1 5/8" x 1 5/8" 1 1/4" x 1 5/8" Horizontal Rails .082 wall .090 wall .100 wall Side Walls .070 wall Top Walls .060 wall .070 wall 2 1/2" sq. x .075 wall Standard Posts 2" sq. x .060 wall 2 1/2" sq. x .075 wall 3" or 4" sq. x .125 wall Gate Posts 2" sq. x .125 wall 3" or 4" sq. x .125 wall Spacing Between Pickets Standard 3 13/16" 1 1/2" 1 5/8" 1 1/2" **Tighter Spacing** 72", 96" on center 72" on center 72", 96" on center Maximum Post Spacing 36", 42", 48", 54", 60", 72", 84", 96" 36", 42", 48", 54", 60", 72" 36", 42", 48", 54", 60", 72" Heights Available Black, White, Bronze, Green Black, White, Bronze, Green Black, White, Bronze, Green Standard Colors

## **GEMSTONE** Fence & Gate Accessories





### Accessories

Simple accessories like rings and lettering add elegance to a standard curved double swing gate.



### **Decorative Rings**

Rows of rings are a popular accessory item to dress up a simple straight-picket fence

### Hardware







Wall Mount Bracket



Deck Mount



# Nothing looks better or lasts longer!

Kolor King® is our exclusive superdurable polyester powder coating for the GEMSTONE line, formulated for the toughest outdoor environments. Our coatings provide up to twice the durability for gloss and color retention, compared with standard coatings.

- 3-4 mils baked-on and thermally bonded
- Maintenance free warranted against chipping, peeling or cracking
- Wide choice of colors:
  black, white, bronze, green and
  over 40 custom colors including
  our unique line of textured
  Hammertone shades

# Kolor King® Colors In addition to the standard colors shown,


In addition to the standard colors shown, Gemstone Aluminum fences are also available in custom colors, based on order minimum.




Hammertone Black



Hammertone Silver



## **GEMSTONE** Swing Gates



All GEMSTONE swing gates are available in any selected style, color, or grade. Gates are fully welded to prevent sag and provide further strength and stability. GEMSTONE gates provide added security to your fence system. Self closing hinges are provided with all walk gates. GEMSTONE also offers an exclusive line of custom crafted gates.

The Platinum Series, available in both single and double gates, provides an added touch of elegance to your fence. The vertical frames of all Platinum Series gates are made of 21/2" x 2" heavy duty square aluminum with reinforced channel routed into the vertical upright for added strength.

Commercial Gates manufactured using 1 1/4" x 1 5/8" reinforced channel, up to 14 foot opening

Industrial Gates manufactured using heavy duty 2" x 1 5/8" reinforced channel, up to 32 foot opening

### **Swing Gates**





Opal Arched Gate

### Hinges





Residential Self-Closing Hinge

Commercial Self-Closing Hinge

Hinge

### Choose from 2 Latch Styles





Brass Handle (standard)

Magna Latch


## **GEMSTONE Slide Gates**

GEMSTONE utilizes the exclusive EasyGlide™ Aluminum Track system for all of our cantilever aluminum, gates. This system, featuring a fully enclosed, high performance aluminum track provides smooth gate operation with limited lateral movement.

GEMSTONE Aluminum Fence Systems are backed by a limited lifetime warranty. Let our knowledgeable and helpful staff of fence experts help you choose the perfect style for your home or business.

Aluminum Track Gate Systems

- Fully enclosed high performance aluminum track (6061T6)
- To provide for smooth operation gate rides on tracks utilizing a sealed ball bearing system and horizontal wheels in the truck assembly
- Lower guide system and horizontal wheels in track assembly effectively limit lateral movement
- Single gate openings up to 30' and double track gates available up to 36'; Technical and design assistance can be provided upon request.






Box gates also available for up to 50' openings.

### All Slide Gates Shipped Fully Assembled!

### EasyGlide Single Gate Track





For gates from 3 ft. up to 25ft.




### **Superior Strength**

Gemstone EasyGlide gate frames feature a 2" x 4" frame guide, which exceeds the industry standard of 2" x 2". This helps maintain proper alignment, and provides our gates with superior strength and dimensional stability.





For gates up to 36ft.



GEMSTONE warrants to the original purchaser of the fencing that the electrostatically applied powder coated finish will not crack, chip, or peel. This warranty does not extend to damage caused by use other than the normal use for which the fence is intended, negligence, alteration, accident, improper installation, abuse, misuse, vandalism or acts of God. Excluded from the warranty are points of welding inherent in the style of fence or otherwise requested by the purchaser.

All claims for a breach of this warranty shall be submitted to GEMSTONE in

writing describing the nature of the breach together with a photograph of the defective portion of the fence and a copy of the original installation agreement or invoice. GEMSTONE reserves the right to determine if the claim is valid. If the claim is valid, GEMSTONE shall, at its discretion, either repair or replace the defective portion of the fence. However, all removal, shipping, and reinstallation costs are the sole responsibility of the purchaser. The above set forth GEMSTONE's complete warranty and the remedies against GEMSTONE with respect to the fence.

NO ADDITIONAL WARRANTIES
ARE GIVEN, EXPRESS, STATUTORY OR
IMPLIED. ANY IMPLIED WARRANTY OR
MERCHANTABILITY, OR FITNESS FOR
A PARTICULAR PURPOSE IS HEREBY
EXPRESSLY DISCLAIMED. GEMSTONE
shall not in any event be responsible for
consequential, personal injury, or incidental
damages. No person or entity is authorized
to change, modify or supplement this
warranty, and any such attempt and any
other written or implied agreement shall
not be valid against GEMSTONE.

© National Fence Systems, Inc. 2011

800-211-2444

Manufactured By:



www.gemstonealuminum.com

Distributed By:

AND THE STATE OF T