



Horizontal Aluminum



800-211-2444
www.gemstonealuminum.com

1033 Route One
Avenel, NJ 07001

SEMI-PRIVACY & SOLID HORIZONTAL ALUMINUM


Introducing **Agate**, our modern horizontal aluminum fencing. This stylish design combines durability with contemporary aesthetics, offering both strength and privacy. Perfect for residential and commercial spaces, Agate fencing elevates your property's appeal with its sleek, sophisticated look.



Since 1985, Gemstone has been a trusted name in the fencing industry, known for our commitment to quality and customer satisfaction. All our materials are proudly made in the USA, ensuring the highest standards of craftsmanship. We are pleased to offer nationwide shipping, making our premium products accessible to customers across the country.

HORIZONTAL GEMSTONE

Spaced Agate



Specifications

| | |
|--------------------------|---|
| Pickets: | 3/4" x 4" tubular pickets |
| Standard Posts: | 3" square post |
| Spacing Between Pickets: | 1/2" gap |
| Channel: | 1 1/2" x 1 1/2" U channel |
| Internal Channel: | h channel for picket attachment |
| Maximum Post Spacing: | 72" |
| Heights Available: | 35.5", 40", 49", 53.5", 58", 71.5", 94" |
| Standard Colors: | Standard Kolor King colors (see p. 6), Velvacoat Black |

CAD DRAWINGS AVAILABLE UPON REQUEST

HORIZONTAL GEMSTONE

Solid Agate




Specifications

| | |
|-----------------------|---|
| Pickets: | 3/4" x 6" T&G pickets |
| Standard Posts: | 3" square post |
| Channel: | 1 1/2" x 1 1/2" U channel |
| Internal Channel: | h channel for picket attachment |
| Maximum Post Spacing: | 72" |
| Heights Available: | 36.5", 42.5", 48.5", 54.5", 60.5", 72.5", 96.5" |
| Standard Colors: | Standard Kolor King colors (see p. 6), Velvacoat Black |


CAD DRAWINGS AVAILABLE UPON REQUEST

HORIZONTAL GEMSTONE


Swing Gates



Single Gate
Up to 5' opening



Double Drive Gate
Up to 12' opening
2" x 2" uprights will be used for gates up to 12' wide



Large Double Drive Gate
2" x 4" frame will be used for gates over 12' wide

Up to 30' opening

Available Latch Styles



Lokk Latch
Magnetic



Lokk Latch
Deluxe

Available Hinge Styles



Shut It
Bolt-On
Hinge



Commercial
Self-Closing
Hinge




Industrial
Hinge

CUSTOM GATE SIZES AVAILABLE UPON REQUEST
GATES AVAILABLE IN SEMI-PRIVATE & SOLID STYLES

HORIZONTAL GEMSTONE

Slide Gates




GEMSTONE utilizes the exclusive EasyGlide™ Aluminum Track system for all of our cantilever aluminum gates. This system, featuring a fully enclosed, high performance aluminum track provides smooth gate operation with limited lateral movement.

GEMSTONE Aluminum Fence Systems are backed by a limited lifetime warranty. Let our knowledgeable staff of fence experts help you choose the perfect style for your home or business.


Aluminum Track Gate Systems

- Fully enclosed high performance aluminum track (6061T6)
- To provide for smooth operation gate rides on tracks utilizing a sealed ball bearing system and horizontal wheels in the truck assembly.
- Lower guide system and horizontal wheels in track assembly effectively limit lateral movement
- Single gate openings up to 30' and double track gates available up to 36'. Technical and design assistance can be provided upon request.

ALL SLIDE GATES SHIPPED FULLY ASSEMBLED!





EasyGlide Single Track Gate



Superior Strength

Horizontal Gemstone EasyGlide gate frames feature a 2" x 4" frame guide, which exceeds the industry standard of 2" x 2". This helps maintain proper alignment, and provides our gates with superior strength and dimensional stability.



EasyGlide Dual Track Gate



MATERIALS

Aluminum Extrusions:

All rails & posts in the HORIZONTAL GEMSTONE series shall consist of 6105/T6 with a minimum strength of 35,000 psi

Fasteners:


All screws shall be self-drilling stainless steel. Screws will be painted to match the finish of the fence

Accessories:

All post caps, wall brackets, decorative screws, & any other hardware shall be fabricated using aluminum castings

KOLOR KING[®] COLORS


In addition to the standard colors shown, Horizontal Gemstone Aluminum fences are also available in custom colors, based on order minimum



Hammerstone
Black



Hammerstone
Silver




Velvacoat
Black



Black



White



Green



Bronze

ALL OF OUR PRODUCTS ARE PROUDLY MADE IN THE USA!

HORIZONTAL GEMSTONE

Limited Lifetime Warranty

GEMSTONE warrants the original purchaser of the fencing that the electro-statically applied powder coated finish will not crack, chip, or peel. This warranty does not extend to damage caused by use other than the normal use for which fence is intended, negligence, alteration, accident, improper installation, abuse, misuse, vandalism or acts of God. Excluded from the warranty are points of welding inherent in the style of fence or otherwise requested by the purchaser. All claims for a breach of this warranty shall be submitted to GEMSTONE in writing describing the nature of the breach together with a photograph of the defective portion of the fence and a copy of the original installation agreement or invoice. GEMSTONE reserves the right to determine if the claim is valid. If the claim is valid, GEMSTONE shall, at its discretion, either repair or replace the defective portion of the fence. However, all removal, shipping, and reinstallation costs are the sole responsibility of the purchaser. The above set forth GEMSTONE's complete warranty and the remedies against GEMSTONE with respect to the fence.



© National Fence Systems, Inc. 2024

NO ADDITIONAL WARRANTIES ARE GIVEN, EXPRESS, STATUTORY OR IMPLIED. ANY IMPLIED WARRANTY OR MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE IS HEREBY EXPRESSLY DISCLAIMED. GEMSTONE shall not in any event be responsible for consequential, personal injury, or incidental damages. No person or entity is authorized to change, modify or supplement this warranty, and any such attempt and any other written or implied agreement shall not be valid against GEMSTONE.

